

CLIPEX[®]

Fencing & Stockyards

Animal Handling

PRODUCT GUIDE



ABOUT US

Clipex fencing and animal handling products have been at the heart of innovation in the agricultural industry since 2007 when the company's founder, Ashley Olsson, made the decision to create a company capable of providing affordable engineered solutions for rural families.

Clipex has revolutionized fencing and animal handling products. Each product is developed with a focus on safe handling, efficient farming practices and affordability. All of our products from design concept to farm yard are developed with the end user in mind.

Clipex products are now distributed to all six continents with Clipex Fencing Limited, located in Ennis, County Clare, being the headquarters for Europe since 2016. We have dedicated regional representatives throughout Europe to answer any questions you might have.

We look forward to working with you in the future.

Irish Office

Tel: 065 6703 351, Mobile: 087 1914 360
Quinn Road, Ennis, Co. Clare, V95 D592
Email: info@clipex.ie Website: www.clipex.ie

UK Office

Tel: 0203 3184 044 Website: www.clipex.co.uk

INDEX

1 Cattle Crushes	Page. 4
2 Cattle Force Tub & Permanent Yards	Page. 10
3 Semi-Permanent Cattle Yards & Components	Page. 14
4 Sheep Handler	Page. 18
5 Permanent Sheep Yards	Page. 20
6 Semi-Permanent Sheep Yards & Components	Page. 22
7 Equine	Page. 28

01

Cattle Crushes

1.1 HDX 900	Page. 5
1.2 HDX 1100	Page. 6
1.3 Head Bail & Head Scoop	Page. 7
1.4 HD 1500	Page. 8
1.5 HD 2000.....	Page. 9

1.1 HDX 900 *series*



Code - CH-HDX900VC
Length - 3.4m
Internal width - 720mm

SINGLE SQUEEZE

- Head Scoop included
- New heavy duty 100x series head bail
- Simple operation with nylon bushes for silent and maintenance free operation
- Single parallel squeeze
- Infinite, silent lock on head bail & squeeze
- Slam catches on all swinging doors
- Head bail handle at front and rear
- Hot dipped galvanised heavy duty construction
- Full vet section
- 120mm anti-bruise rail
- Split gates both side
- Sheeted slide gate and bottom doors
- Load Bar mounts on feet (Fits all popular brands)
- In-built floor section
- Lifting eyes on top of crush for easy transportation
- Weighing options
- Available in both left and right hand access



Vet Section



Slam Latch



With squeeze



Without squeeze

1.2 HDX 1100 *series*



With squeeze



Without squeeze



Anti Rattle Catch



Code - CH-HDX1100VC
Length - 3.4m
Internal width - 720mm

DOUBLE SQUEEZE

- Head Scoop included
- NEW heavy duty 100x series head bail
- Simple operation with nylon bushes for silent and maintenance free operations
- Double parallel squeeze
- Infinite, silent lock on head bail & squeeze
- Anti-rattle catches on all swinging doors
- Head bail handle at front and rear
- Galvanised heavy duty construction
- Full vet section
- 120mm anti-bruise rail
- Split gates both side
- Sheeted slide gate bottom doors
- Load Bar mounts on feet (Fits all popular brands)
- In-built floor section
- Available in both left and right hand access
- Lifting eyes on top of crush for easy transportation
- Weighing options

1.3 Head Bail & Head Scoop

HEAD BAIL

NEW HDX Series Head bail

- **NEW** infinite locking system
- **NEW** rubber design
- Minimal gaps
- Nylon bushes
- Noise dampening panelling
- Silent operations
- HD galvanised construction
- Heavy duty construction
- Drop-down safety handle
- Included with: HDX900 & HDX1100

Code - CH-HDHB100



Without Head scoop



With Head scoop



HEAD SCOOP

- Head brace
- Lock release
- Infinite locking mechanism
- Extendable handle
- Adjustable width
- Nylon bushes in chin bar



Code - CHCBX



1.4 HD 1500 *series*

DOUBLE SQUEEZE

- 450Mpa grade steel
- Hot dip galvanised
- Double parallel squeeze
- Anti-rattle catches on all swinging doors
- Super duty head scoop
- Animal inspecting doors
- Nylon bushes in all hinges
- Three unique side doors for easy animal access
- Infinite, silent lock on head scoop
- Clipex castings on steel corners
- Full vet section
- Anti-bruise rail
- Weigh bar mounting points
- Customisable access door configurations
- Available in both left and right hand access
- Lifting eyes on top of crush for easy transportation
- Weighing options
- 1500kg construction




Code - CH-HD1500VC

1.5 HD 2000 *series*

DOUBLE SQUEEZE

- 450Mpa grade steel
- Hot dip galvanised
- Double parallel squeeze
- Anti-rattle catches on all swinging doors
- Super duty head scoop
- Animal inspecting doors
- Nylon bushes in all hinges
- Three unique side doors for easy animal access
- Infinite, silent lock on head scoop
- Clipex castings on steel corners
- Full vet section
- Anti-bruise rail
- Weigh scale mounting points
- Customisable access door configurations
- Available in both left and right hand access
- Lifting eyes on top of crush for easy transportation
- Weighing options
- 2000kg construction
- Heavy duty "split" entry gate
- Auto locking rear sliding gate
- Large control panel available on AUTO model.
- Automated weighing with auto drafting capabilities
- Side draft capability
- 4-6 way draft capable
- Reduce labour costs



**Code - CH-HD2000VC-AIR
CH-HD2000VC-AUTO**


02

Cattle Force Tubs & Permanent Yards

2.1 HD Forcing Tub	Page. 11
2.2 PG Forcing Tub	Page. 12
2.3 Permanent Cattle Yards	Page. 13

2.1 HD Forcing Tub

Our patent featuring, HD work area was developed from the ground up to be the most efficient in its class featuring pneumatic operations and automatic processing.



- HD rotary crowd tub
- Hot dipped galva-nised construction for longevity
- Curved panels im-proves flow & reduce bruising
- Walkway and plat-form
- Adjustable width curved race
- Adjustable v-straight race before crush improves flow
- 3 way air draft module with access gates. Op-tional 5 way draft avail-able
- Designed to work with our HD2000 series auto crush for autonomous weighing and drafting with compatible indi-cator, includes remote for head bail and draft (crush sold separately)

2.2 PG Forcing Tub

The PG cattle work area system is designed for smaller working numbers. It is made from a high quality pre-gal construction.

- PG rotary crowd tub
- HD slide gates
- Ratchet operated
- Sheeted curved Race
- Pre-gal material
- Pneumatic options available



Optional walkway

3 way and 5 way Draft

3 Way Draft
Code - CH-HDAD-3WAY
Height - 2.5m
Length - 3.25m
Internal width - 850mm

5 Way Draft
Code - CH-HDAD-5WAY
Height - 2.5m
Internal width - 850mm



2.3 Permanent Cattle Yards



SOLD
Separately

SPLIT GATE

Code - CH-HDSG2000



AIR SLIDE GATE

Code - CH-HDSG-AIR


Height - 2.15m (Opening height - 1.87m)

Opening width - 750mm

SOLD
Separately

PC600 PERMANENT YARD

- HD Cattle Work Area System, includes HD2000 series auto crush
- 120x40 gal cattle rail panels and gates
- 76od x 4mm hot dipped gal yard posts
- 102od x 4mm hot dipped gal gate posts
- 4 way automatic drafting with compatible indicator




03

Semi-Permanent Cattle Yards & Components

3.1 Studman Gates & Panels	Page. 15
3.2 Components of the Crush	Page. 16
3.3 Cattle Yards	Page. 17

3.1 Studman Gates & Panels



Studman oval rail for strength and durability

Anti-bruising for animal and handler



STUDMAN GATE IN FRAME

Code - GIF120
Height - 2.25m
Width - Pin to pin - 2.5m

DETAIL

Slam latch operational from both sides and chain catch

STUDMAN MAN GATE

Code - Ch-MG120
Height - 1.8m
Width - 860mm



STUDMAN CATTLE PANEL

Code - CP1204018
Height - 1.8m
Width - 2.2m
Also available in 1.8m X 1.8m

DETAIL

SHEETED CATTLE PANEL

Code - CH-CPS-1.8
Height - 1.8m
Width - 1.8m
Also available in 1.8m X 2.2m

3.2 Components of the crush



RACE BOW

Code - CH-RS600D



EXTENSION BAR

Code - CH-900HANDLEKIT



SLIDE GATE 60

Code - CH-SG60D



Head Bail
See page 7



HALF SHEETED GATE

Code - CH-SG40




3.3 Semi-Permanent Cattle Yards



C55 Cattle Yard

- Studman panels & gates
- Total area 110m²

Optional
manual crush



YARD CONTAINS

- 20 2.2m Studman Panels
- 5 Studman Gate in Frames
- 2 Race Bow
- 58 Cattle Pins
- 1 Slide Gate 60
- Ramp optional extra

All components are interchangeable and can be tailored to suit your farming needs

04

Sheep Handler

See Sheep
Handler Brochure
for more info



- Automatic drafting
- Auto catching
- Weigh scale Attachment
- Tilt table
- Tail access
- Electric Jacks
- Head access
- Tow Hitch
- Optional Wireless Foot Pedal
- Auto pre-catch
- Unique Folding Design

Multi-purpose all in one sheep handling machine



Sheep Handling **Made Easy**


Work Large Flocks

Use the sheep handler to work large flocks of sheep without missing a beat. Fully portable on its own trailer with off-road axles and towbar, it attaches to your vehicle for portable flexibility. Three electric height adjustable jacks lower to stabilise the trailer at a comfortable height for the operator and the wheels remove easily out of the way. The Clipex sheep handler gives the best access to sheep compared to other sheep handlers on the market and due to the pre-catch gate and anti-backing technology, the handler can draft up to 800 sheep an hour with ease.

Fully Automated Handling


The Clipex sheep handler handles up to 400 sheep an hour with its fully automated head and tail access. Its full roll over capability for full crutch, wig and pizzle blow allows easy access to the front and rear of the animal. A folding tail flap swings away automatically when the table rolls over allowing you to crutch 100+ sheep an hour. The handler can easily be adjusted for different sized sheep and has automatic weighing for up to five-way drafting. Its nylon bushes on all moving parts create whisper quiet operations to help sheep move through efficiently and stress free.

Compact Design **Ready For Any Yard**



05

Permanent Sheep Yards




28.1m

36.74m

PS2300 Permanent Yard

- Draft squares
- 102 od x 4mm hot dipped gate posts
- SH16 contractor sheep handler
- Sheeted panels on inside off bugle
- 3 way draft, 4m V race with anti-backing bars + 3 way manual v-draft
- Permanent gal sheep panels with 60 od high tensile heavy duty gal frame material



Concreted Posts

The sheep yard is a permanent yard with concreted posts for all gates and panels

Panel Post Clamps





06

Semi-Permanent Yards & Sheep Components

6.1 S400 Semi-Permanent Sheep Yard	Page. 23
6.2 S650 Semi-Permanent Sheep Yard	Page. 24
6.3 Individual Components	Page. 25

6.1 S400 Semi-Permanent Sheep Yard




S400 Yard

- Holds up to 400 sheep
- Includes V race with 3 way draft
- 4 contained areas
- 189M²

YARD CONTAINS

- 30 2.2m Sheeted Panels
- 5 2.4m Sheep Gates
- 2 Sheep Adapter Posts
- 1 V-Draft Module
- 90 Yard Pins




6.2 S650 Semi-Permanent Sheep Yard



S650 Yard

- Holds up to 650 sheep
- Includes V race with 3 way draft
- 6 contained areas
- Straight drenching race
- Permanent sheep rail
- 263M²



6.3 Individual Sheep Components



SHEEP GATE IN FRAME WITH SLAM LATCH

Code - AH-SG60-6SL

Height - 1.1m

Width - 2.2m (Also available in 3m)



Slam Latch



SHEEP SHEETED PANEL

Code - AH-SPSH

Height - 1.1m

Width - 2.2m

Also available
in a height of
900mm



SHEEP PANEL

Code - AH-SP60-6-1

Height - 1.1m

Width - 1m



SHEEP PANEL

Code - AH-SP60-6

Height - 1.1m

Width - 2.2m



SHEEP PANEL ADAPTER POST

Code - AH- SP60-ADP

Height - 1.65m

Individual Sheep Components



RACE GATE
Code - AH-SR660-6
Height - 1m
Internal Width - 550mm



DOUBLE RACE GATE
Code - AH-SRG60-6 DOUBLE
Height - 1.1m
Internal Width - 1.15m



SHEEP MAN GATE
Code - AH-SMG60-6
Height - 1.1m
Internal Width - 550mm



DOUBLE RACE BOW
Code - AH-SRB-DOUBLE



Detail



RACE BOW
Code - AH-SRB
Height - 1.1m
Internal Width - 550mm



WORKING RACE

Formed with race gates and 2.2m long panels



Individual Sheep Components

WORKING SHEEP CURVE PANELS



SHEEP CURVE PANELS
Code - AH-SP60-C1750
Height - 1.1m
Radius - 2.4m



SHEEP CURVE PANELS
Code - AH-SP-C1275
Height - 1.1m
Radius - 1.8m

V-DRAFT

- V-race with 3 way draft module
- Hot dipped galvanised for longevity
- Flat packed for easy relocation and freight
- Permanent or semi-permanent
- Improve sheep flow and stop sheep walking backwards with our anti-backing bars
- Ergonomic draft handles
- Draft gates available separately
- Long draft gates for ease of drafting



3 WAY DRAFT GATE
Code - AH-V-3WAYDRAFT



V-DRAFTER
Code - AH-V-MODULE
Length - 5.4m

SOLD
Separately

SOLD
Separately



V-DRAFT FOLD OUT SWING GATE
Code - AH-FRSG-VD



V-DRAFT BACKING GATE
Code - AH-V-Draft-BG

07

Equine

7.1 Equine Range.....	Page. 28
7.2 Equine Yards	Page. 29

7.1 Equine Range

Our equine gates and panels are designed using oval rail to minimize bruising while maintaining strength.

The equine gates feature an adjustable top frame adjusting from a height of 2 metres to 2.7 metres.



EQUINE GATE

Code - EQGIF-60
Height - 2.0m - 2.7m
Width - 2.2m



Detail of Equine Gate




EQUINE PANEL

Code - EQ-603016
Height - 1.8m
Width - 2.2m

7.2 Equine Yards


11 METRE EQUINE YARD

15 panels and 1 gate
11.28 metres in diameter




14 METRE EQUINE YARD

20 panels and 1 gate
14.71 metres in diameter



18 METRE EQUINE YARD

25 panels and 1 gate
18.18 metres in diameter





CLIPEXX[®]
Fencing & Stockyards